

# Candix M

Prescription Required

**MANUFACTURER**

**PSPRESEARCH I PVT LTD**

**SALT COMPOSITION**

[Clotrimazole \(1% w/w\)](#)

**STORAGE**

Store below 25°C

---

## PRODUCT INTRODUCTION

Candix Mis a combination medicine. It is used to treat various types of skin infections usually the fungal type of skin infections. It minimizes symptoms of inflammation such as redness, swelling, and itching. It also acts against the infection-causing microorganisms.

Candix Mis only meant for external use and should be used as advised by your doctor. A thin layer of the medicine should be applied only to the affected areas of the skin with clean and dry hands. If it gets into your eyes, nose, mouth, or vagina rinse with water. It may take several days to weeks for your symptoms to improve, but you should keep using this medicine regularly. The course of the treatment should be completed to ensure better efficacy of the medicine. If your condition does not improve or gets worse, you should talk to your doctor.

The most common side effect of this medicine includes itching, dryness, redness, and burning sensation at the application site. These are usually self-limiting. Serious side effects are rare. You must consult the doctor if you experience any allergic reaction (rashes, itching, swelling, shortness of breath, etc.).

Before taking this medicine, it is important to tell your doctor if you are taking or have recently taken any other medicines for the same disease or other diseases. Pregnant and breastfeeding women should take this medicine with proper consultation and caution.

---

## USES OF CANDIX M

- [Treatment of Fungal skin infections](#)

## BENEFITS OF

In Treatment of Fungal skin infections

Candix Mis a combination of two medicines, Clotrimazole and Beclometasone, used to treat skin infections caused by fungi. These include infections like athlete's foot, ringworm, vaginal thrush, and sweat rash. Clotrimazole works by killing and stopping the growth of fungi, thereby clearing the infection and relieving the symptoms. Beclometasone blocks the release of chemicals that cause symptoms such as itching, redness, and swelling. Therefore this medicine relieves the inflammation due to these infections.

You should use this medicine for as long as it is prescribed, even if your symptoms disappear, otherwise they may come back. Depending on the type of infection you are treating, this may be several weeks. Even after your skin is completely cured, you may have to apply it occasionally to prevent the symptoms from returning.

---

## SIDE EFFECTS OF CANDIX M

Most side effects do not require any medical attention and disappear as your body adjusts to the medicine. Consult your doctor if they persist or if you're worried about them

Common side effects of Candid-B

- Paresthesia (tingling or pricking sensation)
- Burning sensation
- Dry skin

---

### HOW TO USE GINGI M

This medicine is for external use only. Use it in the dose and duration as advised by your doctor. Check the label for directions before use. Clean and dry the affected area and apply the cream. Wash your hands after applying, unless hands are the affected area.

---

### HOW CANDIX MWORKS

Gingi Mis a combination of two medicines: Beclometasone and Clotrimazole which treat skin infections. Beclometasone is a steroid which blocks the production of certain chemical messengers (prostaglandins) that make the skin red, swollen and itchy. Clotrimazole is an antifungal which stops the growth of fungi on the skin by preventing them from forming their own protective covering.

---

### SAFETY ADVICE



#### Alcohol

No interaction found/established



#### Pregnancy

##### CONSULT YOUR DOCTOR

Gingi M may be unsafe to use during pregnancy. Although there are limited studies in humans, animal studies have shown harmful effects on the developing baby. Your doctor will weigh the benefits and any potential risks before prescribing it to you. Please consult your doctor.



#### Breast feeding

##### SAFE IF PRESCRIBED

Gingi Mis probably safe to use during breastfeeding. Limited human data suggests that the drug does not represent any significant risk to the baby.



#### Driving

No interaction found/established



#### Kidney

No interaction found/established



#### Liver

No interaction found/established

---

### WHAT IF YOU FORGET TO TAKE GINGI M?

If you miss a dose of Gingi M, apply it as soon as possible. However, if it is almost time for your next dose, skip the missed dose and go back to your regular schedule. Do not double the dose.

---

## **All substitutes**

For informational purposes only. Consult a doctor before taking any medicines.

Gingi M